

FOR MEDIUM AND LARGE DOGS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 2

tablets

CHEWABLE FLAVORED DOG DE-WORMER TABLETS

## Broad Spectrum De-Wormer

For Medium & Large Dogs  
Greater than 25 lbs.

**For the treatment and control of**  
**tapeworms** (*Dipylidium caninum*, *Taenia pisiformis*)  
**roundworms** (*Toxocara canis*, *Toxascaris leonina*)  
**hookworms** (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*)

**in dogs and puppies**

Active ingredients: Each flavored chewable contains 114 mg pyrantel pamoate and 114 mg praziquantel.

**KEEP OUT OF REACH OF CHILDREN**

FOR USE ONLY AS DIRECTED ON PACKAGE INSERT & BACK PANEL

NET CONTENTS: 2 FLAVORED TABLETS  
NADA #141-261, APPROVED BY FDA



Triple Wormer™  
(pyrantel pamoate/praziquantel)



CHEWABLE FLAVORED DOG DE-WORMER TABLETS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 2

tablets

MEDIUM  
AND  
LARGE DOGS

**DIRECTIONS FOR USE:** For the removal of large roundworms, hookworms and tapeworms in adult dogs or young dogs, weighing more than 25 lbs., administer these tablets according to the weight of the animal.

Weight	No. of Tablets
6.0 to 25.0 lbs.	Use the 30 mg size
25.1 to 50.0 lbs.	Give 1 tablet
50.1 to 100.0 lbs.	Give 2 tablets
100.1 to 150.0 lbs.	Give 3 tablets
150.1 to 200.0 lbs.	Give 4 tablets

**Note:** For puppies or small dogs weighing less than 25 lbs., use Durvet Triple Wormer™ Chewable Flavored Dog De-Wormer Tablets for Puppies and Small Dogs. Durvet Triple Wormer™ Chewables are recommended for dogs 12 weeks of age and older.

Offer the proper dosage by hand or in the dog's food container, with or without food. Do not withhold food from your dog prior to or after treatment.

### RECOMMENDED DE-WORMING

**SCHEDULE:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

**PRECAUTION:** The safety of Durvet Triple Wormer™ Chewables in breeding dogs and pregnant bitches has not been determined. In case of ingestion by humans, contact a physician immediately. Physicians may contact a Poison Control Center for advice concerning cases of ingestion by humans.

### NOT FOR HUMAN CONSUMPTION

Store at controlled room temperature 15-30°C (59-86°F).

If you have questions or comments about this product, please call 1-800-821-5570 or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64014

Manufactured for: Durvet, Inc., Blue Springs, MO 64014  
Visit us at [www.durvet.com](http://www.durvet.com)

AVRR P002628-2 REV0911

TAKE TIME



OBSERVE LABEL  
DIRECTIONS



7 45801 17703 1



FOR PUPPIES AND SMALL DOGS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 2

tablets

CHEWABLE FLAVORED DOG DE-WORMER TABLETS

## Broad Spectrum De-Wormer

For Puppies & Small Dogs  
6 lbs. to 25 lbs.

**For the treatment and control of**  
**tapeworms** (*Dipylidium caninum*, *Taenia pisiformis*)  
**roundworms** (*Toxocara canis*, *Toxascaris leonina*)  
**hookworms** (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*)

**in dogs and puppies**

Active ingredients: Each flavored chewable contains 30 mg pyrantel pamoate and 30 mg praziquantel.

**KEEP OUT OF REACH OF CHILDREN**

FOR USE ONLY AS DIRECTED ON PACKAGE INSERT & BACK PANEL

NET CONTENTS: 2 FLAVORED TABLETS  
NADA #141-261, APPROVED BY FDA



**Triple Wormer™**  
(pyrantel pamoate/praziquantel)



CHEWABLE FLAVORED DOG DE-WORMER TABLETS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 2

tablets

PUPPIES  
AND  
SMALL DOGS

**DIRECTIONS FOR USE:** For the removal of large roundworms, hookworms and tapeworms in puppies and small dogs, weighing 6 to 25 lbs., administer these tablets according to the weight of the animal.

Weight	No. of Tablets
6.0 to 12.0 lbs.	Give 1 tablet
12.1 to 25.0 lbs.	Give 2 tablets
More than 25.0 lbs.	Use the 114 mg size

**NOTE:** For large dogs weighing more than 25 lbs., use Durvet Triple Wormer™ Chewable Flavored Dog De-Wormer Tablets for Large Dogs. Durvet Triple Wormer™ Chewables are recommended for dogs 12 weeks of age and older.

Offer the proper dosage by hand or in the dog's food container, with or without food. Do not withhold food from your dog prior to or after treatment.

Manufactured for: Durvet, Inc., Blue Springs, MO 64014 / Visit us at [www.durvet.com](http://www.durvet.com)

**RECOMMENDED DE-WORMING SCHEDULE:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

**PRECAUTION:** The safety of Durvet Triple Wormer™ Chewables in breeding dogs and pregnant bitches has not been determined.

In case of ingestion by humans, contact a physician immediately. Physicians may contact a Poison Control Center for advice concerning cases of ingestion by humans.

**NOT FOR HUMAN CONSUMPTION**

Store at controlled room temperature 15-30°C (59-86°F).

If you have questions or comments about this product, please call 1-800-821-5570 or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64013

AVRR P002630-2 REV0911

TAKE TIME



OBSERVE LABEL DIRECTIONS



7 45801 17603 4



FOR MEDIUM AND LARGE DOGS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 12

tablets

CHEWABLE FLAVORED DOG DE-WORMER TABLETS

## Broad Spectrum De-Wormer

For Medium & Large Dogs  
Greater than 25 lbs.

**For the treatment and control of**  
**tapeworms** (*Dipylidium caninum*, *Taenia pisiformis*)  
**roundworms** (*Toxocara canis*, *Toxascaris leonina*)  
**hookworms** (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*)

**in dogs and puppies**

Active ingredients: Each flavored chewable contains 114 mg pyrantel pamoate and 114 mg praziquantel.

**KEEP OUT OF REACH OF CHILDREN**

FOR USE ONLY AS DIRECTED ON PACKAGE INSERT & BACK PANEL

NET CONTENTS: 12 FLAVORED TABLETS  
NADA #141-261, APPROVED BY FDA



**Triple Wormer™**  
(pyrantel pamoate/praziquantel)



CHEWABLE FLAVORED DOG DE-WORMER TABLETS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 12

tablets

MEDIUM  
AND  
LARGE DOGS

**DIRECTIONS FOR USE:** For the removal of large roundworms, hookworms and tapeworms in adult dogs or young dogs, weighing more than 25 lbs., administer these tablets according to the weight of the animal.

Weight	No. of Tablets
6.0 to 25.0 lbs.	Use the 30 mg size
25.1 to 50.0 lbs.	Give 1 tablet
50.1 to 100.0 lbs.	Give 2 tablets
100.1 to 150.0 lbs.	Give 3 tablets
150.1 to 200.0 lbs.	Give 4 tablets

**Note:** For puppies or small dogs weighing less than 25 lbs., use Durvet Triple Wormer™ Chewable Flavored Dog De-Wormer Tablets for Puppies and Small Dogs. Durvet Triple Wormer™ Chewables are recommended for dogs 12 weeks of age and older.

Offer the proper dosage by hand or in the dog's food container, with or without food. Do not withhold food from your dog prior to or after treatment.

### RECOMMENDED DE-WORMING

**SCHEDULE:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

**PRECAUTION:** The safety of Durvet Triple Wormer™ Chewables in breeding dogs and pregnant bitches has not been determined. In case of ingestion by humans, contact a physician immediately. Physicians may contact a Poison Control Center for advice concerning cases of ingestion by humans.

### NOT FOR HUMAN CONSUMPTION

Store at controlled room temperature 15-30°C (59-86°F).

If you have questions or comments about this product, please call 1-800-821-5570 or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64014

Manufactured for: Durvet, Inc.,  
Blue Springs, MO 64014  
Visit us at [www.durvet.com](http://www.durvet.com)

AVRR P002629-2 REV0911

TAKE TIME



OBSERVE LABEL  
DIRECTIONS



7 45801 17712 3



[www.durvet.com](http://www.durvet.com)

FOR PUPPIES AND SMALL DOGS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 12

tablets

CHEWABLE FLAVORED DOG DE-WORMER TABLETS



## Broad Spectrum De-Wormer

For Puppies & Small Dogs  
6 lbs. to 25 lbs.

**For the treatment and control of**  
**tapeworms** (*Dipylidium caninum*, *Taenia pisiformis*)  
**roundworms** (*Toxocara canis*, *Toxascaris leonina*)  
**hookworms** (*Ancylostoma caninum*, *Ancylostoma braziliense*, *Uncinaria stenocephala*)

**in dogs and puppies**

Active ingredients: Each flavored chewable contains 30 mg pyrantel pamoate and 30 mg praziquantel.

**KEEP OUT OF REACH OF CHILDREN**

FOR USE ONLY AS DIRECTED ON PACKAGE INSERT & BACK PANEL

NET CONTENTS: 12 FLAVORED TABLETS  
NADA #141-261, APPROVED BY FDA



**Triple Wormer™**  
(pyrantel pamoate/praziquantel)



CHEWABLE FLAVORED DOG DE-WORMER TABLETS

# Triple Wormer™

(pyrantel pamoate/praziquantel)

# 12

tablets

PUPPIES  
AND  
SMALL DOGS

**DIRECTIONS FOR USE:** For the removal of large roundworms, hookworms and tapeworms in puppies and small dogs, weighing 6 to 25 lbs., administer these tablets according to the weight of the animal.

Weight	No. of Tablets
6.0 to 12.0 lbs.	Give 1 tablet
12.1 to 25.0 lbs.	Give 2 tablets
More than 25.0 lbs.	Use the 114 mg size

**NOTE:** For large dogs weighing more than 25 lbs., use Durvet Triple Wormer™ Chewable Flavored Dog De-Wormer Tablets for Large Dogs. Durvet Triple Wormer™ Chewables are recommended for dogs 12 weeks of age and older.

Offer the proper dosage by hand or in the dog's food container, with or without food. Do not withhold food from your dog prior to or after treatment.

Manufactured for: Durvet, Inc., Blue Springs, MO 64014 / Visit us at [www.durvet.com](http://www.durvet.com)

### RECOMMENDED DE-WORMING

**SCHEDULE:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

**PRECAUTION:** The safety of Durvet Triple Wormer™ Chewables in breeding dogs and pregnant bitches has not been determined.

In case of ingestion by humans, contact a physician immediately. Physicians may contact a Poison Control Center for advice concerning cases of ingestion by humans.

### NOT FOR HUMAN CONSUMPTION

Store at controlled room temperature 15-30°C (59-86°F).

If you have questions or comments about this product, please call 1-800-821-5570 or write: Durvet, Inc., P.O. Box 279, Blue Springs, MO 64013

AVRR P002631-2 REV0911

TAKE TIME



OBSERVE LABEL DIRECTIONS



7 45801 17612 6



# Triple Wormer™

(pyrantel pamoate/praziquantel)

FOR PUPPIES AND SMALL DOGS

## Durvet Triple Wormer™ Flavored Chewables

**Package contents:** Blisters of 2 or 12 chewables

### DRUG FACTS

#### Active Ingredients (in each chewable):

Pyrantel Pamoate (30 mg) and Praziquantel (30 mg)

**Purpose:** De-wormer for Small Dogs and Puppies Only (6.0 to 25 pounds)

**Uses:** For the treatment and control of

- Roundworms (*Toxocara canis*, *Toxascaris leonina*)
- Hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, and *Uncinaria stenocephala*)
- Tapeworms (*Dipylidium caninum*, *Taenia pisiformis*)

**Human Warning:** Keep this and all medication out of the reach of children. To obtain product information, including a Material Safety Data Sheet (MSDS), call 1-800-821-5570.

### When Using This Product:

- Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- Do not de-worm a dog or puppy that is sick. Consult a veterinarian for diagnosis of the illness.
- Durvet Triple Wormer™ Flavored Chewables are safe for use in puppies 12 weeks or older and adult dogs. Safety in breeding dogs and pregnant bitches has not been tested.

**You May Notice:** Vomiting, loose stools (with or without blood) and decreased activity following treatment. If you notice these signs, contact a veterinarian.

**Directions:** Each flavored chewable contains 30 mg of pyrantel pamoate and 30 mg of praziquantel. The dose for each drug is 2.27 mg per pound of body weight (5 mg/kg). Please refer to the following dosing table for help finding the right dose for your dog.

### Durvet Triple Wormer™ Flavored Chewables Dosing Table

Dog Weight	Number of Chewables
6.0 to 12.0 pounds	1
12.1 to 25 pounds	2
More than 25 pounds	Use the 114 mg size

- You should weigh your dog to make sure you are giving the right dose.
- Durvet Triple Wormer™ Flavored Chewables are palatable if offered by hand. If your dog does not voluntarily eat the chewable, you can hide the chewable in a small amount of food or place it in the back of the dog's mouth for forced swallowing.
- Make sure that the dog eats the complete dose.
- Watch the dog for a few minutes after dosing to make sure the chewable is not rejected.

### OTHER INFORMATION:

**Recommended De-Worming Schedule:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

**Re-treatment:** Re-treatment of your dog may be necessary as determined by laboratory fecal examination and/or if your dog is living where re-infections are likely to occur. Consult your veterinarian for assistance in the diagnosis and prevention of re-infection. In case of re-infection with tapeworms (*Dipylidium caninum*), consult your veterinarian for advice on how to remove fleas from the dog and the environment.

### Storage:

Store at controlled room temperature of 59-86°F (15-30°C).

### Questions? Comments?

To report a suspected adverse reaction, call 1-800-821-5570

If you have questions or comments about this product, please write: Durvet, Inc., PO Box 279, Blue Springs, MO 64013

Manufactured for:

Durvet, Inc., 100 S.E. Magellan Drive, Blue Springs, MO 64014

MADE IN USA

NADA 141-261, Approved by FDA ACAV P002623-1 06/07

# Triple Wormer™

(pyrantel pamoate/praziquantel)

FOR MEDIUM AND LARGE DOGS

## Durvet Triple Wormer™ Flavored Chewables

**Package contents:** Blisters of 2 or 12 chewables

### DRUG FACTS

#### Active Ingredients (in each chewable):

Pyrantel Pamoate (114 mg) and Praziquantel (114 mg)

**Purpose:** De-wormer for Medium and Large Dogs Only  
(Greater than 25 pounds)

**Uses:** For the treatment and control of

- Roundworms (*Toxocara canis*, *Toxascaris leonina*)
- Hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, and *Uncinaria stenocephala*)
- Tapeworms (*Dipylidium caninum*, *Taenia pisiformis*)

**Human Warning:** Keep this and all medication out of the reach of children. To obtain product information, including a Material Safety Data Sheet (MSDS), call 1-800-821-5570.

#### When Using This Product:

- Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- Do not de-worm a dog or puppy that is sick. Consult a veterinarian for diagnosis of the illness.
- Durvet Triple Wormer™ Flavored Chewables are safe for use in puppies 12 weeks or older and adult dogs. Safety in breeding dogs and pregnant bitches has not been tested.

**You May Notice:** Vomiting, loose stools (with or without blood) and decreased activity following treatment. If you notice these signs, contact a veterinarian.

**Directions:** Each flavored chewable contains 114 mg of pyrantel pamoate and 114 mg of praziquantel. The dose for each drug is 2.27 mg per pound of body weight (5 mg/kg). Please refer to the following dosing table for help finding the right dose for your dog.

### Durvet Triple Wormer™ Flavored Chewables Dosing Table

Dog Weight	Number of Chewables
6.0 to 25 pounds	Use the 30 mg size
25.1 to 50 pounds	1
50.1 to 100 pounds	2
100.1 to 150 pounds	3
150.1 to 200 pounds	4

- You should weigh your dog to make sure you are giving the right dose.
- Durvet Triple Wormer™ Flavored Chewables are palatable if offered by hand. If your dog does not voluntarily eat the chewable, you can hide the chewable in a small amount of food or place it in the back of the dog's mouth for forced swallowing.
- Make sure that the dog eats the complete dose.
- Watch the dog for a few minutes after dosing to make sure the chewable is not rejected.

### OTHER INFORMATION:

**Recommended De-Worming Schedule:** Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

**Re-treatment:** Re-treatment of your dog may be necessary as determined by laboratory fecal examination and/or if your dog is living where re-infections are likely to occur. Consult your veterinarian for assistance in the diagnosis and prevention of re-infection. In case of re-infection with tapeworms (*Dipylidium caninum*), consult your veterinarian for advice on how to remove fleas from the dog and the environment.

#### Storage:

Store at controlled room temperature of 59-86°F (15-30°C).

### Questions? Comments?

To report a suspected adverse reaction, call 1-800-821-5570

If you have questions or comments about this product, please write: Durvet, Inc., PO Box 279, Blue Springs, MO 64013

Manufactured for:

Durvet, Inc., 100 S.E. Magellan Drive, Blue Springs, MO 64014

MADE IN USA

NADA 141-261, Approved by FDA ACAV P002622-1 06/07