



Chick Starter TYPE C MEDICATED FEED

with essential oils

FOR USE ON

Replacement chickens

ACTIVE INGREDIENT

Amprolium......0.0125% (113.5 g/ton)

GUARANTEED ANALYSIS

Crude Protein, min	19.5%
Lysine, min	1.00%
Methionine, min	0.40%
Crude Fat, min	2.75%
Crude Fiber, max	3.50%
Calcium, min	0.75%
Calcium, max	1.25%
Phosphorus, min	0.65%
Salt, min	0.25%
Salt, max	0.45%

Chick Starter Type C Medicated Feed is for the development of active immunity to coccidiosis under conditions of slight to severe exposure to coccidiosis in replacement chickens up to 8 weeks of age.

FEEDING DIRECTIONS

Feed continuously as the sole ration to replace chickens up to 8 weeks of age. At 6 weeks of age, one could begin feeding a grower ration containing amprolium up to 8 weeks of age.

INGREDIENTS

Grain products, plant protein products, monocalcium phosphate, calcium carbonate, sodium chloride, choline chloride, dl-methionine, I-lysine, Vitamin A supplements, Vitamin D3 supplement, Vitamin E supplement, Menadione dimethylpyrimidinol bisulfite, Thiamine Mononitrate, Riboflavin, Pydoxine Hydrochloride, Vitamin B12 supplement, Biotin, Folic Acid, Copper Sulfate, Basic Copper Chloride, Zinc Hydroxychloride, Zinc Sulfate, Manganous Oxide, Manganese Hydroxychloride, Sodium Selenite, Ethylenediamine dihydriodide, Essential Oils of Oregano (Carvacrol), Red Pepper (Capsicum), Cinnamon (Cinnamaldehyde), Thyme, Rosemary Extract and Vegetable Oil.

PACKAGING

10 lb bag, 5 bags per case UPC# 7-45801-02188-4



replacement chickens